



China 6203 Bearing Supplier



NSK deep groove ball bearing 6202 for motor vehicle bearing sizes 15*35*11

Bearing No. 6202

6202 Bearing 2D drawings and 3D CAD models

| | |
|-------------------------------|--------------------------|
| Size | 15x35x11 mm |
| Bore Diameter | 15 mm |
| Outer Diameter | 35 mm |
| Width | 11 mm |
| d | 15 mm |
| D | 35 mm |
| B | 11 mm |
| C | 11 mm |
| r min. | 0,6 mm |
| da min. | 19 mm |
| da max | 20,5 mm |
| Da max. | 31 mm |
| ra max. | 0,6 mm |
| Weight | 0,045 Kg |
| Basic dynamic load rating (C) | 7,65 kN |
| Basic static load rating (C0) | 3,75 kN |
| (Grease) Lubrication Speed | 20 000 r/min |
| (Oil) Lubrication Speed | 24 000 r/min |
| Category | Single Row Ball Bearings |
| Inventory | 2.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.047 |
| Product Group | B00308 |
| Enclosure | Open |



China 6203 Bearing Supplier

| | |
|---------------------------------|--|
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch - Metric | Metric |
| Long Description | 15MM Bore; 35MM Outside Diameter; 11MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category | Single Row Ball Bearing |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer URL | http://www.nskamericas.com |
| Manufacturer Item Number | 6202 |
| Weight / LBS | 0.1 |
| Bore | 0.591 Inch 15 Millimeter |
| Outer Race Width | 0.433 Inch 11 Millimeter |
| Outside Diameter | 1.378 Inch 35 Millimeter |
| SRI | 3.01 |
| hidYobi | 6202 |
| LangID | 1 |
| D_ | 35 |
| SREX | 0.03 |
| B_ | 11 |
| da min | 19 |



China 6203 Bearing Supplier

| | |
|------------|-------------|
| hidTable | ecat_NSRDGB |
| Oil rpm | 24000 |
| SRE | 3.16 |
| mass | 0.045 |
| GRS rpm | 20000 |
| ra | 0.6 |
| SRIX | 0.015 |
| D_a | 31 |
| SRIN | 0 |
| C0 | 3.75 |
| fo | 13.2 |
| SREN | 0 |
| DE_ | 31.453 |
| Prod_Type3 | DGBB_SR_OT |
| DA_ | 5.953 |
| bomp | 0 |
| Z_ | 8 |
| yobi | 6202 |
| C_conv | 7650 |
| ALPHA_ | 0 |
| SDM_ | 25.5 |
| r | 0.6 |
| KBRG | 6101 |
| SBRG | 2 |
| DI_ | 19.547 |